This SDS adheres to the standards and regulatory requirements of Great Britain and may not meet the regulatory requirements in other countries.

SAFETY DATA SHEET	Ref. 000000749/N/GB
	Page 1 of 3
DuPont Fluorochemicals	Print date 2002-05-04
	Revision date: 2002-02-08
In accordance with the legislation of Great Britai	in

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name:	FE-227 Fire Extinguishing Agent
Supplier:	Du Pont de Nemours (Nederland) B.V. Dordrecht Works Baanhoekweg 22 NL-3313 LA DORDRECHT +31(78)630.1567 / 630.1011
Emergency telephone number:	(02871) 861.313

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name of the substance	Weight %	CAS-No	EC-No.
1,1,1,2,3,3,3-Heptafluoropropane	100	431-89-0	207-079-2

3. HAZARDS IDENTIFICATION

Most important hazards:	Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.
Specific hazards:	Rapid evaporation of the liquid may cause frostbite. May cause cardiac arrhythmia.

4. FIRST AID MEASURES:

General advice:	Never give anything by mouth to an unconscious person.
Inhalation:	Move to fresh air. Oxygen or artificial respiration if needed. Do not give adrenaline or similar drugs.
Eye contact:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin contact:	Wash off immediately with plenty of water. Take off all contaminated clothing immediately.

5. FIRE-FIGHTING MEASURES:

Suitable extinguishing media:	any
Specific hazards:	pressure build-up
Specific methods:	Cool containers / tanks with spray water.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Evacuate	personnel	to s	safe	areas.	Ensure	adequate	ventilation.	wear
	personal	protective	e qu	iipme	ent				

Environmental precautions: Evaporates.

Methods for cleaning up: Evaporates.

7. HANDLING AND STORAGE:

Handling:	Technical measures/Precautions: Provide sufficien	t air exchange and/or exhaust in work
	rooms.	
	Safe handling advice: Use only in well-ventila spray mist.	ated areas. Do not breathe vapours or
Storage:	Technical measures/Storage conditions: Keep tight well-ventilated place.	ly closed in a dry, cool and
	Incompatible products: flammable materials, Org Packaging material: Store in original contai	

Ref. 000000749/N/GB -- SAFETY DATA SHEET --Page 2 of 3 Print date 2002-05-04 DuPont Fluorochemicals Revision date: 2002-02-08 In accordance with the legislation of Great Britain Product name: FE-227 Fire Extinguishing Agent 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Engineering measures: Ensure adequate ventilation, especially in confined areas. Personal protective equipment: Respiratory protection: For rescue and maintenance work in storage tanks use self-contained breathing apparatus. Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. safety glasses rubber gloves Do not smoke. Eye protection: Hand protection: Hygiene measures: 9. PHYSICAL AND CHEMICAL PROPERTIES Tested according to Form: liquefied gas Colour: colourless Odour: ether-like pH: (°C) (at g/l H2O) neutral (1 bar) -16,4 °C Boiling point/range: -131,0 °C Melting point/range: (1 bar) does not flash Flash point: Explosive properties: Not applicable 25 °C) 446.8 kPa Vapour pressure: (1,49 kg/l 25 °C) Relative density: ((liquid) Solubility: Water solubility (25 °C) (1 bar) negligible mPa.s 10. STABILITY AND REACTIVITY: Stability: No decomposition if used as directed. alkali metals, alkaline earth metals, powdered metal salts, powdered Al, Zn, Materials to avoid: Be, etc, Hazardous decomposition products: hydrogen halides, traces of carbonyl halides, Conditions to avoid: The product is not flammable in air under ambient conditions of temperature and pressure. When pressurised with air or oxygen the mixture may become flammable. Certain mixtures of HCFCs or HFCs with chlorine may become flammable or reactive under certain conditions. 11. TOXICOLOGICAL INFORMATION

Acute toxicity:	LC50/inhalation/4h/rat = 5485 mg/l.
Local effects:	Concentrations substantially above the OEL value may cause narcotic effects. Inhalation of decomposition products in high concentration may cause shortness of breath (lung oedema).
Long term toxicity:	Did not show carcinogenic, teratogenic or mutagenic effects in animal experiments.
Specific effects:	May cause cardiac arrhythmia. Rapid evaporation of the liquid may cause frostbite.

	SAFETY DATA SHEET			Ref. 00000749/N/GB Page 3 of 3		
	DuPont Fluorochemicals			e 2002-05-04 date: 2002-02-08		
	In accordance with the leg	gislation of Great		date: 2002-02-08		
P	roduct name:	FE-227 Fire	Extinguishing Age	ent		
12.	ECOLOGICAL INFORMATION	no data available				
13.	DISPOSAL CONSIDERATIONS					
1	Waste from residues / unused products:	Can be used after	re-conditioning.			
	Contaminated packaging: Empty pressure	vessels should be	returned to the	supplier.		
14.	TRANSPORT INFORMATION	UN/ID No.: 3296				
	ADR/RID Class: 2 Packing group: n.a. Proper shipping name:	Subrisks: n.a. TREM-CARD: 20G2A-2 3296 Heptafluorop		Hazard labels: 2 HI/UN No: 20/3296		
	IMO Class: 2.2 Packing group: n.a.	Subrisks: n.a.		Hazard labels: 2		
Proper shipping name:		Heptafluoropropane				

```
Class: 2.2
Packing group: n.a.
Proper shipping name:
```

n.a. = not applicable

15. REGULATORY INFORMATION

According to Regulation 5 of the CHIPS Regs 1994, the product does not need to be labelled.

Subrisks: n.a.

Heptafluoropropane

Hazard labels: 2

16. OTHER INFORMATION

ICAO

Recommended use:	Fire extinguishing agent
Further information:	For further information contact the local DuPont office or DuPont's nominated distributors.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.